

WP2

- Afonso, A. S., Garla, R., & Hazin, F. H. V. (2017). Tiger sharks can connect equatorial habitats and fisheries across the Atlantic Ocean basin. *PLOS ONE*, *12*(9), e0184763. <https://doi.org/10.1371/journal.pone.0184763>
- Afonso, A. S., Hazin, F. H. V., Carvalho, F., Pacheco, J. C., Hazin, H., Kerstetter, D. W., ... Burgess, G. H. (2011). Fishing gear modifications to reduce elasmobranch mortality in pelagic and bottom longline fisheries off Northeast Brazil. *Fisheries Research*, *108*(2), 336–343. <https://doi.org/10.1016/j.fishres.2011.01.007>
- Amaral, A. C. Z., Ciotti, A. M., & Fonseca, G. (2018). Biodiversity and functioning of a subtropical coastal ecosystem: Subsidies for integrated management. *Ocean & Coastal Management*, *164*, 1–3. <https://doi.org/10.1016/j.ocecoaman.2018.04.023>
- Amaral, A. C. Z., & Jablonski, S. (2005). Conservation of Marine and Coastal Biodiversity in Brazil. *Conservation Biology*, *19*(3), 625–631. <https://doi.org/10.1111/j.1523-1739.2005.00692.x>
- Ashley, M. C., Mangi, S. C., & Rodwell, L. D. (2014). The potential of offshore windfarms to act as marine protected areas - A systematic review of current evidence. *Marine Policy*, *45*, 301–309. <https://doi.org/10.1016/j.marpol.2013.09.002>
- Aued, A. W., Smith, F., Quimbayo, J. P., Cândido, D. V., Longo, G. O., Ferreira, C. E. L., ... Segal, B. (2018). Large-scale patterns of benthic marine communities in the Brazilian Province. *PLOS ONE*, *13*(6), e0198452. <https://doi.org/10.1371/journal.pone.0198452>

- Augé, A. A., Dias, M. P., Lascelles, B., Baylis, A. M. M., Black, A., Boersma, P. D., ... Croxall, J. P. (2018). Framework for mapping key areas for marine megafauna to inform Marine Spatial Planning: The Falkland Islands case study. *Marine Policy*, *92*, 61–72. <https://doi.org/10.1016/j.marpol.2018.02.017>
- Bacher, C., Gangnery, A., Cugier, P., Mongruel, R., Strand, Ø., & Frangoudes, K. (2019). Spatial, Ecological and Social Dimensions of Assessments for Bivalve Farming Management. In A. C. Smaal, J. G. Ferreira, J. Grant, J. K. Petersen, & Ø. Strand (Eds.), *Goods and Services of Marine Bivalves* (pp. 527–549). https://doi.org/10.1007/978-3-319-96776-9_26
- Balbar, A. C., & Metaxas, A. (2019). The current application of ecological connectivity in the design of marine protected areas. *Global Ecology and Conservation*, *17*, e00569. <https://doi.org/10.1016/j.gecco.2019.e00569>
- Banks-Leite, C., Pardini, R., Tambosi, L. R., Pearse, W. D., Bueno, A. A., Bruscin, R. T., ... Metzger, J. P. (2014). Using ecological thresholds to evaluate the costs and benefits of set-asides in a biodiversity hotspot. *Science (New York, N.Y.)*, *345*(6200), 1041–1045. <https://doi.org/10.1126/science.1255768>
- Begossi, A. (1992). The use of optimal foraging theory in the understanding of fishing strategies: A case from Sepetiba Bay (Rio de Janeiro State, Brazil). *Human Ecology*, *20*(4), 463–475. <https://doi.org/10.1007/BF00890430>
- Bergstrom, L., Kautsky, L., Malm, T., Rosenberg, R., Wahlberg, M., Capetillo, N. A., & Wilhelmsson, D. (2014). Effects of offshore wind farms on marine wildlife—a generalized impact assessment. *Environmental Research Letters*, *9*(3), 034012. <https://doi.org/10.1088/1748-9326/9/3/034012>
- Berkström, C., Lindborg, R., Thyresson, M., & Gullström, M. (2013). Assessing

connectivity in a tropical embayment: Fish migrations and seascape ecology.

Biological Conservation, 166, 43–53.

<https://doi.org/10.1016/j.biocon.2013.06.013>

Bers, A. V., Duque Estrada, T. E. M., Woelfl, A. C., Mahiques, M. M., & Turra, A. (2013). A combined approach of benthic mapping of Caraguatatuba Bay, Brazil, with recommendations for management practices. *Ocean & Coastal Management*, 71, 269–274. <https://doi.org/10.1016/j.ocecoaman.2012.10.003>

Borobia, M., & Lodi, L. (1992). Recent observations and records of the West Indian manatee *Trichechus manatus* in northeastern Brazil. *Biological Conservation*, 59(1), 37–43. [https://doi.org/10.1016/0006-3207\(92\)90711-U](https://doi.org/10.1016/0006-3207(92)90711-U)

Bradbury, G., Trinder, M., Furness, B., Banks, A. N., Caldow, R. W. G., & Hume, D. (2014). Mapping Seabird Sensitivity to Offshore Wind Farms. *Plos One*, 9(9), e106366. <https://doi.org/10.1371/journal.pone.0106366>

Brochier, T., Auger, P., Thiao, D., Bah, A., Ly, S., Nguyen-Huu, T., & Brehmer, P. (2018). Can overexploited fisheries recover by self-organization? Reallocation of fishing effort as an emergent form of governance. *Marine Policy*, 95, 46–56. <https://doi.org/10.1016/j.marpol.2018.06.009>

Brown, C. J., Jupiter, S. D., Albert, S., Anthony, K. R. N., Hamilton, R. J., Fredston-Hermann, A., ... Klein, C. J. (2018). A guide to modelling priorities for managing land-based impacts on coastal ecosystems. *Journal of Applied Ecology*, 0(0). <https://doi.org/10.1111/1365-2664.13331>

Campos, L. F. a. S., Andrade, A. B., Bertrand, S., Efe, M. A., Campos, L. F. a. S., Andrade, A. B., ... Efe, M. A. (2018). Foraging behavior and at-sea distribution of White-Tailed Tropicbirds in tropical ocean. *Brazilian Journal of Biology*,

78(3), 556–563. <https://doi.org/10.1590/1519-6984.173578>

Crowder, L., & Norse, E. (2008). Essential ecological insights for marine ecosystem-based management and marine spatial planning. *Marine Policy*, 32(5), 772–778. <https://doi.org/10.1016/j.marpol.2008.03.012>

de la Torre-Castro, M., Di Carlo, G., & Jiddawi, N. S. (2014). Seagrass importance for a small-scale fishery in the tropics: The need for seascape management. *Marine Pollution Bulletin*, 83(2), 398–407. <https://doi.org/10.1016/j.marpolbul.2014.03.034>

de Melo Alves Damasio, L., Lopes, P. F. M., Pennino, M. G., Carvalho, A. R., & Sumaila, U. R. (2016). Size matters: fishing less and yielding more in smaller-scale fisheries. *ICES Journal of Marine Science*, 73(6), 1494–1502. <https://doi.org/10.1093/icesjms/fsw016>

Di Lorenzo, M., Claudet, J., & Guidetti, P. (2016). Spillover from marine protected areas to adjacent fisheries has an ecological and a fishery component. *Journal for Nature Conservation*, 32, 62–66. <https://doi.org/10.1016/j.jnc.2016.04.004>

Dias, R. A., Agne, C. E., Gianuca, D., Gianuca, A., Barcellos-Silveira, A., & Bugoni, L. (2010). New records, distribution and status of six seabird species in Brazil. *Iheringia. Série Zoologia*, 100(4), 379–390. <https://doi.org/10.1590/S0073-47212010000400013>

Eastwood, P. D., Mills, C. M., Aldridge, J. N., Houghton, C. A., & Rogers, S. I. (2007). Human activities in UK offshore waters: an assessment of direct, physical pressure on the seabed. *ICES Journal of Marine Science*, 64(3), 453–463. <https://doi.org/10.1093/icesjms/fsm001>

Eduardo, L. N., Frédou, T., Lira, A. S., Ferreira, B. P., Bertrand, A., Ménard, F., &

- Frédou, F. L. (2018). Identifying key habitat and spatial patterns of fish biodiversity in the tropical Brazilian continental shelf. *Continental Shelf Research*, 166, 108–118. <https://doi.org/10.1016/j.csr.2018.07.002>
- Elfes, C. T., Longo, C., Halpern, B. S., Hardy, D., Scarborough, C., Best, B. D., ... Dutra, G. F. (2014). A Regional-Scale Ocean Health Index for Brazil. *PLOS ONE*, 9(4), e92589. <https://doi.org/10.1371/journal.pone.0092589>
- Falconer, L., Telfer, T., Pham, K. L., & Ross, L. (2018). 2.14 - GIS Technologies for Sustainable Aquaculture. In B. Huang (Ed.), *Comprehensive Geographic Information Systems* (pp. 290–314). <https://doi.org/10.1016/B978-0-12-409548-9.10459-2>
- Filgueira, R., Grant, J., Stuart, R., & Brown, M. S. (2013). Ecosystem modelling for ecosystem-based management of bivalve aquaculture sites in data-poor environments. *Aquaculture Environment Interactions*, 4(2), 117–133. <https://doi.org/10.3354/aei00078>
- Foley, M. M., Halpern, B. S., Micheli, F., Armsby, M. H., Caldwell, M. R., Crain, C. M., ... Steneck, R. S. (2010). Guiding ecological principles for marine spatial planning. *Marine Policy*, 34(5), 955–966. <https://doi.org/10.1016/j.marpol.2010.02.001>
- Fonseca, V. P., Pennino, M. G., de Nóbrega, M. F., Oliveira, J. E. L., & de Figueiredo Mendes, L. (2017). Identifying fish diversity hot-spots in data-poor situations. *Marine Environmental Research*, 129, 365–373. <https://doi.org/10.1016/j.marenvres.2017.06.017>
- Freire, K. de M. F., & Pauly, D. (Daniel). (2015). *Fisheries Catch Reconstructions for Brazil's Mainland and Oceanic Islands*. <https://doi.org/10.14288/1.0354313>

- Gasalla, M. A., & Gandini, F. C. (2016). The loss of fishing territories in coastal areas: the case of seabob-shrimp small-scale fisheries in São Paulo, Brazil. *Maritime Studies*, 15(1), 9. <https://doi.org/10.1186/s40152-016-0044-2>
- Gerber, L. R., Mancha-Cisneros, M. D. M., O'Connor, M. I., & Selig, E. R. (2014). Climate change impacts on connectivity in the ocean: Implications for conservation. *Ecosphere*, 5(3), 33. <https://doi.org/10.1890/ES13-00336.1>
- Giglio, V. J., Luiz, O. J., & Gerhardinger, L. C. (2015). Depletion of marine megafauna and shifting baselines among artisanal fishers in eastern Brazil. *Animal Conservation*, 18(4), 348–358. <https://doi.org/10.1111/acv.12178>
- Gilman, E., Passfield, K., & Nakamura, K. (2014). Performance of regional fisheries management organizations: ecosystem-based governance of bycatch and discards. *Fish and Fisheries*, 15(2), 327–351. <https://doi.org/10.1111/faf.12021>
- González Carman, V., Mandiola, A., Alemany, D., Dassis, M., Seco Pon, J. P., Prosdocimi, L., ... Copello, S. (2016). Distribution of megafaunal species in the Southwestern Atlantic: key ecological areas and opportunities for marine conservation. *ICES Journal of Marine Science*, 73(6), 1579–1588. <https://doi.org/10.1093/icesjms/fsw019>
- Grorud-Colvert, K., Claudet, J., Tissot, B. N., Caselle, J. E., Carr, M. H., Day, J. C., ... Walsh, W. J. (2014). Marine Protected Area Networks: Assessing Whether the Whole Is Greater than the Sum of Its Parts. *PLOS ONE*, 9(8), e102298. <https://doi.org/10.1371/journal.pone.0102298>
- Hadlich, H. L., Venturini, N., Martins, C. C., Hatje, V., Tinelli, P., Gomes, L. E. de O., & Bernardino, A. F. (2018). Multiple biogeochemical indicators of environmental quality in tropical estuaries reveal contrasting conservation

opportunities. *Ecological Indicators*, 95, 21–31.

<https://doi.org/10.1016/j.ecolind.2018.07.027>

Halpern, B. S., Walbridge, S., Selkoe, K. A., Kappel, C. V., Micheli, F., D'Agrosa, C., ... Watson, R. (2008). A global map of human impact on marine ecosystems.

Science, 319(5865), 948–952. <https://doi.org/10.1126/science.1149345>

Hanson, J. O., Fuller, R. A., & Rhodes, J. R. (2019). Conventional methods for enhancing connectivity in conservation planning do not always maintain gene flow. *Journal of Applied Ecology*, 0(0). <https://doi.org/10.1111/1365-2664.13315>

Harris, L. R., Holness, S., Finke, G., Kirkman, S., & Sink, K. (2019). Systematic Conservation Planning as a Tool to Advance Ecologically or Biologically Significant Area and Marine Spatial Planning Processes. In J. Zaucha & K. Gee (Eds.), *Maritime Spatial Planning: past, present, future* (pp. 71–96). https://doi.org/10.1007/978-3-319-98696-8_4

Jennings, S., Lee, J., & Hiddink, J. G. (2012). Assessing fishery footprints and the trade-offs between landings value, habitat sensitivity, and fishing impacts to inform marine spatial planning and an ecosystem approach. *Ices Journal of Marine Science*, 69(6), 1053–1063. <https://doi.org/10.1093/icesjms/fss050>

Jordaan, A., Frisk, M. G., Incze, L. S., Wolff, N. H., Hamlin, L., & Chen, Y. (2013). Multivariate dissemination of species relationships for use in marine spatial planning. *Canadian Journal of Fisheries and Aquatic Sciences*, 70(2), 316–329. <https://doi.org/10.1139/cjfas-2011-0516>

Kloser, R. J., Ryan, T. E., Young, J. W., & Lewis, M. E. (2009). Acoustic observations of micronekton fish on the scale of an ocean basin: potential and challenges.

Ices Journal of Marine Science, 66(6), 998–1006.

<https://doi.org/10.1093/icesjms/fsp077>

Kroodsma, D. A., Mayorga, J., Hochberg, T., Miller, N. A., Boerder, K., Ferretti, F., ...
Worm, B. (2018). Tracking the global footprint of fisheries. *Science*, 359(6378),
904–908. <https://doi.org/10.1126/science.aao5646>

Krumme, U., Giarrizzo, T., Pereira, R., de Jesus, A. J. S., Schaub, C., & Saint-Paul,
U. (2015). Airborne synthetic-aperture radar (SAR) imaging to help assess
impacts of stationary fishing gear on the north Brazilian mangrove coast. *ICES
Journal of Marine Science*, 72(3), 939–951.

<https://doi.org/10.1093/icesjms/fsu188>

LaFrance, M., King, J. W., Oakley, B. A., & Pratt, S. (2014). A comparison of top-
down and bottom-up approaches to benthic habitat mapping to inform offshore
wind energy development. *Continental Shelf Research*, 83, 24–44.

<https://doi.org/10.1016/j.csr.2014.04.007>

Lam, W.-H., & Roy, C. B. (2014). Insights into the Ocean Health Index for marine
renewable energy. *Renewable & Sustainable Energy Reviews*, 33, 26–33.

<https://doi.org/10.1016/j.rser.2014.01.078>

Leite, M. C. F., & Gasalla, M. A. (2013). A method for assessing fishers' ecological
knowledge as a practical tool for ecosystem-based fisheries management:
Seeking consensus in Southeastern Brazil. *Fisheries Research*, 145, 43–53.

<https://doi.org/10.1016/j.fishres.2013.02.013>

Lennox, R. J., Engler-Palma, C., Kowarski, K., Filous, A., Whitlock, R., Cooke, S. J.,
& Auger-Méthé, M. (2018). Optimizing marine spatial plans with animal
tracking data. *Canadian Journal of Fisheries and Aquatic Sciences*, 1–13.

<https://doi.org/10.1139/cjfas-2017-0495>

- Levy, J. S., & Ban, N. C. (2013). A method for incorporating climate change modelling into marine conservation planning: An Indo-west Pacific example. *Marine Policy*, *38*, 16–24. <https://doi.org/10.1016/j.marpol.2012.05.015>
- Lockhart, G. G., Swingle, W. M., Bort, J., Lynott, M. C., Barco, S. G., & DiGiovanni, R. A. (2012). A Crowded Ocean: Including Biological Monitoring Results in Marine Spatial Planning Efforts. *2012 Oceans*.
- Magris, R. A., Pressey, R. L., Weeks, R., & Ban, N. C. (2014). Integrating connectivity and climate change into marine conservation planning. *Biological Conservation*, *170*, 207–221. <https://doi.org/10.1016/j.biocon.2013.12.032>
- Ojaveer, H., Galil, B. S., Carlton, J. T., Alleway, H., Gouletquer, P., Lehtiniemi, M., ... Zaiko, A. (2018). Historical baselines in marine bioinvasions: Implications for policy and management. *PLOS ONE*, *13*(8), e0202383. <https://doi.org/10.1371/journal.pone.0202383>
- Oppel, S., Bolton, M., Carneiro, A. P. B., Dias, M. P., Green, J. A., Masello, J. F., ... Croxall, J. (2018). Spatial scales of marine conservation management for breeding seabirds. *Marine Policy*, *98*, 37–46. <https://doi.org/10.1016/j.marpol.2018.08.024>
- Patrizzi, N. S., & Dobrovolski, R. (2018). Integrating climate change and human impacts into marine spatial planning: A case study of threatened starfish species in Brazil. *Ocean & Coastal Management*, *161*, 177–188. <https://doi.org/10.1016/j.ocecoaman.2018.05.003>
- Peckett, F. J., Glegg, G. A., & Rodwell, L. D. (2014). Assessing the quality of data required to identify effective marine protected areas. *Marine Policy*, *45*, 333–

341. <https://doi.org/10.1016/j.marpol.2013.09.013>

Popova, E., Vousden, D., Sauer, W. H. H., Mohammed, E. Y., Allain, V., Downey-Breedt, N., ... Yool, A. (2019). Ecological connectivity between the areas beyond national jurisdiction and coastal waters: Safeguarding interests of coastal communities in developing countries. *Marine Policy*, *104*, 90–102. <https://doi.org/10.1016/j.marpol.2019.02.050>

Santos, C. Z., & Schiavetti, A. (2014). Spatial analysis of Protected Areas of the coastal/marine environment of Brazil. *Journal for Nature Conservation*, *22*(5), 453–461. <https://doi.org/10.1016/j.jnc.2014.05.001>

Schiavetti, A., Manz, J., Zapelini dos Santos, C., Magro, T. C., & Pagani, M. I. (2013). Marine Protected Areas in Brazil: An ecological approach regarding the large marine ecosystems. *Ocean & Coastal Management*, *76*, 96–104. <https://doi.org/10.1016/j.ocecoaman.2013.02.003>

Schmiing, M., Diogo, H., Santos, R. S., & Afonso, P. (2014). Assessing hotspots within hotspots to conserve biodiversity and support fisheries management. *Marine Ecology Progress Series*, *513*, 187–199. <https://doi.org/10.3354/meps10924>

Soanes, L. M., Bright, J. A., Carter, D., Dias, M. P., Fleming, T., Gumbs, K., ... Green, J. A. (2016). Important foraging areas of seabirds from Anguilla, Caribbean: Implications for marine spatial planning. *Marine Policy*, *70*, 85–92. <https://doi.org/10.1016/j.marpol.2016.04.019>

Tiedemann, M., Fock, H. O., Döring, J., Badji, L. B., & Möllmann, C. (2018). Water masses and oceanic eddy regulation of larval fish assemblages along the Cape Verde Frontal Zone. *Journal of Marine Systems*, *183*, 42–55.

<https://doi.org/10.1016/j.jmarsys.2018.03.004>

Tydecks, L., Jeschke, J. M., Wolf, M., Singer, G., & Tockner, K. (2018). Spatial and topical imbalances in biodiversity research. *PLOS ONE*, *13*(7), e0199327.

<https://doi.org/10.1371/journal.pone.0199327>

Zupan, M., Fragkopoulou, E., Claudet, J., Erzini, K., Costa, B. H. e, & Gonçalves, E. J. (2018). Marine partially protected areas: drivers of ecological effectiveness. *Frontiers in Ecology and the Environment*, *16*(7), 381–387.

<https://doi.org/10.1002/fee.1934>